513 634 6108 12:42:06 p.m. 09-09-2004 3 /5

Appl. No. 10/089,343 Atty. Docket No. CM2207MQL Amdt. dated September 9, 2004 Reply to Final Office Action of June 10, 2004 Customer No. 27752

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently amended): An article comprising a first element and a second element being joined to said first element by means of an adhesive characterized in that said adhesive comprises a polyolefinic homopolymer having one phase of molecules all of which exhibit a similar stereochemical configuration, an isotacticity of less than [[60%]] 40% and more than 10% of [mmmm] pentad concentration, a [mmm] pentad concentration below 3%, and a [[[mmm]] [mmm] pentad concentration below 6%.
- 2. (Original): An article according to Claim 1 wherein said homopolymer has a molecular weight of at least 100,000 g/mol.
- 3. (Original): An article according to Claim 1 wherein said adhesive is stretchable.
- 4. (Original): An article according to Claim 2 wherein said adhesive is elastically expandable.
- 5. (Previously presented): The article according to Claim 1 wherein said homopolymer is polypropylene.
- 6. (Previously presented): An article according to Claim 1 wherein said adhesive is deployed as a construction element.
- 7. (Currently amended): A method for providing an adhesive coating comprising a step of applying an adhesive coating selected from the group consisting of hot melt, spray, powder melt, extruded bead, liquid, solvent based, pressure sensitive, and combinations thereof, wherein said adhesive coating comprises a polyolefinic homopolymer having one phase of molecules all of which exhibit a similar stereochemical configuration, an isotacticity of less than [[60%]] 40% and more than 10% of [mmmm] pentad concentration, a [mmm] pentad concentration below 3%, and a [[[mmm]]] [mmm] pentad concentration below 6%.